```
#[...]
ElasticIP:
  Type: 'AWS::EC2::EIP'                                  ①
  Properties:
    InstanceId: !Ref Instance
    Domain: vpc
  DependsOn: VPCGatewayAttachment
Instance:                                                ②
  Type: 'AWS::EC2::Instance'
  Properties:
    ImageId: !FindInMap [RegionMap, !Ref
➥ 'AWS::Region', AMI]                                   ③
    InstanceType: 't2.micro'                             ④
    IamInstanceProfile: !Ref IamInstanceProfile
    NetworkInterfaces:
    - AssociatePublicIpAddress: true
      DeleteOnTermination: true
      DeviceIndex: 0
      GroupSet:
      - !Ref SecurityGroup
      SubnetId: !Ref Subnet
    UserData:                                            ⑤
      'Fn::Base64': !Sub |
        #!/bin/bash -ex
        trap '/opt/aws/bin/cfn-signal -e 1 --stack ${AWS::StackName}
        ➥ --resource Instance --region ${AWS::Region}' ERR

        # Installing Jenkins                             ⑥
        amazon-linux-extras enable epel=7.11 && yum -y clean metadata
        yum install -y epel-release && yum -y clean metadata
        yum install -y java-11-amazon-corretto-headless daemonize
        wget -q -T 60 http://.../jenkins-2.319.1-1.1.noarch.rpm
        rpm --install jenkins-2.319.1-1.1.noarch.rpm

        # Configuring Jenkins
        # ...

        # Starting Jenkins                               ⑦
        systemctl enable jenkins.service
        systemctl start jenkins.service
        /opt/aws/bin/cfn-signal -e $? --stack ${AWS::StackName}
        ➥ --resource Instance --region ${AWS::Region}
    Tags:
    - Key: Name
      Value: 'jenkins-recovery'
  CreationPolicy:
    ResourceSignal:
      Timeout: PT10M
  DependsOn: VPCGatewayAttachment
```

① The public IP address stays the same after recovery when using Elastic IP address.

② Launches a virtual machine to run a Jenkins server

③ Selects the AMI (in this case, Amazon Linux)

④ Recovery is supported for t2 instance types.