```
AZ=`curl -H "X-aws-ec2-metadata-token: $TOKEN" -v                    ②
➥ http://169.254.169.254/latest/meta-data/placement/availability-zone`
REGION=${AZ::-1}                                                     ③
DATABASE_HOST=$(aws ssm get-parameter --region ${REGION}             ④
➥ --name "/etherpad-codedeploy/database_host"
➥ --query "Parameter.Value" --output text)


chown -R ec2-user:ec2-user /etherpad/                                ⑤
cd /etherpad/
rm -fR node_modules/                                                 ⑥
echo "                                                             ⑦
{
\"title\": \"Etherpad\",
\"dbType\": \"mysql\",
\"dbSettings\": {
\"host\": \"${DATABASE_HOST}\",
\"port\": \"3306\",
\"database\": \"etherpad\",
\"user\": \"etherpad\",
\"password\": \"etherpad\"
},
\"exposeVersion\": true
}
" > settings.json
```

① Gets a token to access the EC2 metadata service

② Fetches the availability zone of the EC2 instance from the metadata service

③ Removes the last character of the availability zone to get the region

④ Fetches the database host name from the Systems Manager Parameter Store

⑤ Makes sure all files belong to ec2-user instead of root

⑥ Cleans up the Node.js modules used by Etherpad

⑦ Generates the settings.json file for Etherpad containing the database host

Next, create a zip file containing the Etherpad source code as well as the appspec.yml file. As mentioned before, we have already prepared the zip file for you. All you have to do is upload it to S3 by executing the following command. Make sure to replace `$BucketName` with the artifact bucket name:

```
aws s3 cp chapter15/etherpad-lite-1.8.17.zip \
➥ s3://$BucketName/etherpad-lite-1.8.17.zip
```