2. When the load test starts, the alarm called `TargetTracking-wordpress-AutoScalingGroup-`**`-AlarmHigh-`** will reach the `ALARM` state after about 10 minutes.
3. Open the EC2 service, and list all EC2 instances. Watch for two additional instances to launch. At the end, you'll see five instances total (four web servers and the EC2 instance running the load test).
4. Go back to the CloudWatch service, and wait until the alarm named `TargetTracking-wordpress-AutoScalingGroup-`**`-AlarmLow-`** reaches the `ALARM` state.
5. Open the EC2 service, and list all EC2 instances. Watch for the two additional instances to disappear. At the end, you'll see three instances total (two web servers and the EC2 instance running the load test).

The entire process will take about 30 minutes.

You've now watched autoscaling in action: your WordPress setup can now adapt to the current workload. The problem with pages loading slowly or even timeouts in the evening is solved.



Cleaning up

Execute the following commands to delete all resources corresponding to the WordPress setup:

```
$ aws cloudformation delete-stack --stack-name wordpress
```

17.3.2 Scaling a dynamic EC2 instances pool asynchronously decoupled by a queue

Imagine that you're developing a social bookmark service where users can save and share their links. Offering a preview that shows the website being linked to is an important feature. But the conversion from URL to PNG is causing high load during the evening, when most users add new bookmarks to your service. Because of that, customers are dissatisfied with your application's slow response times.