```
    }
}
```

❶ A using directive is required for the Microsoft.AspNetCore.Mvc.ApplicationModels namespace.

❷ You are calling this class CultureTemplatePage-RouteModelConvention and implementing the IPageRouteModelConvention interface.

❸ The class implements the Apply method.

❹ The PageRouteModel's collection of SelectorModels is iterated over to obtain information about its route template.

❺ A new SelectorModel is added to the collection by combining a new parameter named culture with a copy of the existing selector.

❻ The order is set to a high number for the new template, so it doesn't interfere with existing routes.

You register the `CultureTemplatePageRouteModelConvention` by adding it to the `RazorPagesOptions Conventions` collection similarly to how you called the `AddPageRoute` method previously:

```
builder.Services.AddRazorPages().AddRazorPagesOptions(options => {
    options.Conventions.AddPageRoute("/Index", "FindMe");
    options.Conventions.Add(new CultureTemplatePageRouteModelConvention());
});
```

Once the convention has been registered, it is invoked, and its `Apply` method is executed for every Razor page in the application at startup. The end result is that the total number of route templates within the application is doubled. For example, the total number of `SelectorModels` for the Index page is now six with the following route templates:

```
"Index"
""
"FindMe"
"{culture?}/Index"
"{culture?}"
"{culture?}/FindMe"
```