https://en.wikipedia.org/wiki/ISO_3166-1_alpha-2. You are going to use these codes to display flag icons for each country, so you also need to download a free set of flag icons that have been named after the alpha-2 codes. You can get a free set from Flagpedia at https://flagpedia.net/download/icons (I selected the 40-px-wide original versions), or you can copy them from the download for this chapter that covers binding complex objects (http://mng.bz/yvOB). Create a folder named Images in the wwwroot folder, and within that, create another called Flags. If you choose to download the flag, extract the image files into the Flags folder. Open the layout file, and amend the footer to include attribution shown in bold in the next listing.

Listing 5.9 Updating the footer to include attribution

```
<footer class="border-top footer text-muted">
    <div class="container">
        &copy; 2021 - CityBreaks | Flag icons from
        ➥ <a href="https://flagpedia.net">flagpedia.net</a>
    </div>
</footer>
```

Now add a new folder to the Pages folder, and name it CountryManager. Within that, add a new Razor page named Create. Change the `CreateModel` class content to the following.

Listing 5.10 Using an input model to encapsulate the binding target

```
using CityBreaks.Models;                                    ❶
using Microsoft.AspNetCore.Mvc;
using Microsoft.AspNetCore.Mvc.RazorPages;

namespace CityBreaks.Pages.CountryManager
{
    public class CreateModel : PageModel
    {
        [BindProperty]
        public InputModel Input { get; set; }               ❷
        public Country Country { get; set; }                ❸
```