```
    };
}
```

❶ Add a public List<int> property, and make it a binding target. Instantiate it, so you don't need to check for null.

❷ Declare a List<City>, and instantiate it.

Finally, change the City.cshtml file content to include a `foreach` loop that iterates over the list of cities and renders a check box and the name of the city for each entry in the collection (listing 5.15). Each check box will have the city's `Id` applied to its `value` attribute. You will also add some code that will execute if any cities are selected by the user. Their `Id` values will be bound to the `SelectedCities` property, so you will loop through any values there and extract the matching city from the collection you just generated in the `PageModel` code. You will render the total number that was selected along with the selection as a list.

Listing 5.15 Multiple selection with checkboxes

```
@page
@model CityBreaks.Pages.CityModel
<h4>Select Cities</h4>
<div class="row">
    <div class="col-md-4">
        <form method="post">
            <div class="form-group">
               @foreach(var city in Model.Cities)                    ❶
                {                                                    ❶
                    <div><input type="checkbox"                      ❶
                    ➥ name="SelectedCities"value="@city.Id"/>       ❶
                    ➥ @city.Name</div>                              ❶
                }                                                    ❶
            </div>
            <div class="form-group">
               <input type="submit" value="Select" class="btn btn-primary" />
            </div>
        </form>
    </div>
</div>
@if(Model.SelectedCities.Any())                                      ❷
{
```