The properties will be presented in a form as editable values. When the form is submitted, the updated values will be assigned to a collection of countries, just as in the last example, and rendered to the browser.

Listing 5.20 The `EditModel` for working with explicit indexes

```
public class EditModel : PageModel
{
    [BindProperty]
    public List<InputModel> Inputs { get; set; }
    public List<Country> Countries { get; set; } = new List<Country>();
    public void OnGet()
    {
        Inputs = new List<InputModel> {                    ❶
            new InputModel{ Id = 840, CountryCode = "us",  ❶
            ➥ CountryName ="United States" },              ❶
            new InputModel{ Id = 826, CountryCode = "en",  ❶
            ➥ CountryName = "Great Britain" },             ❶
            new InputModel{ Id = 250, CountryCode = "fr",  ❶
            ➥ CountryName = "France" }                     ❶
        };                                                 ❶
    }

    public void OnPost()
    {
        Countries = Inputs
            .Where(x => !string.IsNullOrWhiteSpace(x.CountryCode))
            .Select(x => new Country
            {
                Id = x.Id,
                CountryCode = x.CountryCode,
                CountryName = x.CountryName
            }).ToList();
    }

    public class InputModel
    {
        public int Id { get; set; }
        public string CountryName { get; set; }
        public string CountryCode { get; set; }
    }
}
```

❶ A collection of InputModels is created. The unique identifier is in fact the country's ISO 3166-1 numeric code. This will be used as the index value.