changed from a `string` to an `int`. In addition, you will place the code that generates the `SelectList` in a separate method and call it both in the `OnGet` and `OnPost` methods, so the options are repopulated after the form is submitted. The following listing shows the changed parts of the `CreateModel` class. All the properties before the `SelectedCity` are unaltered.

Listing 6.10 The amended `CreateModel` for the property manager

```
[BindProperty]
[Display(Name = "City")]
public int SelectedCity { get; set; }                                    ❶
public SelectList Cities { get; set; }
public string Message { get; set; }                                      ❷
public void OnGet()
{
    Cities = GetCityOptions();                                           ❸
}

public void OnPost()
{
    Cities = GetCityOptions();                                           ❸
    if (ModelState.IsValid)
    {
        var city = GetCityOptions().First(o => o.Value ==                ❹
        ➥ SelectedCity.ToString());                                     ❹
        Message = $"You selected {city.Text} with value of {SelectedCity}";❹
    }
}

private SelectList GetCityOptions()                                      ❺
{                                                                        ❺
    var cities =  new List<City>                                         ❺
    {                                                                    ❺
        new City{ Id = 1, Name = "London"},                              ❺
        new City{ Id = 2, Name = "Paris" },                              ❺
        new City{ Id = 3, Name = "New York" },                           ❺
        new City{ Id = 4, Name = "Rome" },                               ❺
        new City{ Id = 5, Name = "Dublin" }                              ❺
    };                                                                   ❺
    return new SelectList(cities, nameof(City.Id), nameof(City.Name));   ❺
}                                                                        ❺
```