Whether you choose to use a list box or a group of check boxes to facilitate multiple selections is a presentation design decision as much as anything.

Radio controls represent mutually exclusive options. They are primarily used to allow the user to select one, and only one, from a number of options. As such, they are nearly always grouped together. All others are deselected automatically when one radio in a group is selected. You cannot deselect a single radio, which is why they can't really be used on their own. The only way to deselect one radio is to select another in the same group. It might make sense to use one radio control in a form in which selection is mandatory, such as indicating your agreement to terms and conditions before proceeding.

In the next example, you will use radio buttons instead of a select element for selecting one of the property rating enumeration values. The only change required is in the form itself. Replace the `select` element with the code in the next listing.

Listing 6.23 Replacing a select element with a group of radio controls

```
<p>Rating</p>
<ul class="list-group border-0">
@foreach(var option in Html.GetEnumSelectList<Rating>())          ❶
{
    <li class="list-group-item p-0 border-0">
        <input asp-for="Rating" type="radio"
         ➥ id="rating-@option.Value" value="@option.Value">      ❷
        <label for="rating-@option.Value">
         ➥ @option.Text</label>                                  ❸
    </li>
}
</ul>
```

❶ Use the Html.GetEnumSelectList method to convert the enumerations to an IEnumerable<SelectListItem>, and loop through them.

❷ Bind the radio to the Rating property, but set the type, id, and value explicitly.

❸ Add labels with their for attribute set to the id of the corresponding radio control.