So let's begin by creating the service class for the `Property` entity that encapsulates these operations. The first step is adding a new interface named `IPropertyService` with the following code to the Services folder.

Listing 8.24 The `IPropertyService` interface with CRUD methods

```
using CityBreaks.Models;

namespace CityBreaks.Services
{
    public interface IPropertyService
    {
        Task<Property> CreateAsync(Property property);
        Task<List<Property>> GetAllAsync();
        Task<Property> FindAsync(int id);
        Task<Property> UpdateAsync(Property property);
        Task DeleteAsync(int id);
    }
}
```

Now add a new class to the Services folder named `PropertyService` that implements the interface.

Listing 8.25 Implementing the CRUD methods in the `PropertyService`

```
using CityBreaks.Data;
using CityBreaks.Models;
using Microsoft.EntityFrameworkCore;

namespace CityBreaks.Services;
public class PropertyService : IPropertyService
{
    private readonly CityBreaksContext _context;

    public PropertyService(CityBreaksContext context) =>
        _context = context;

    public async Task<Property> FindAsync(int id) =>
        await _context.Properties
        .FindAsync(id);

    public async Task<List<Property>> GetAllAsync() =>
        await _context.Properties
        .Include(x => x.City)
        .ToListAsync();
```