```
dotnet new sln                                          ❶
dotnet new webapp -o WebApplication1                    ❷
dotnet sln add WebApplication1\WebApplication1.csproj   ❸
```

❶ Creating a solution file

❷ Scaffolding a new Razor Pages application and placing the output into a subfolder named WebApplication1

❸ Adding the Razor Pages application to the solution

Once you execute the last command, all of the application files should be created successfully. You should also get some feedback from the terminal related to some "post-creation actions." Your path to WebApplication1 may well differ from mine, shown in the following listing, but the rest of the feedback should be similar.

Listing 2.2 Notification of post-creation actions executed by the CLI

```
Processing post-creation actions...
Running 'dotnet restore' on WebApplication1\WebApplication1.csproj...
  Determining projects to restore...
  Restored D:\MyApps\WebApplication1\WebApplication1\WebApplication1.csproj
(in 80 ms).
Restore succeeded.
```

The CLI executed the `dotnet restore` command on your application, ensuring all packages your application depends on are obtained and up to date. If you used Visual Studio to create your application, the same command will have been executed, but the indication that it took place is not so obvious. It is shown in the status bar at the bottom of the IDE (figure 2.3).



Figure 2.3 The status bar at the bottom of Visual Studio shows that the project was restored.