In this section, we will take a look at the simple steps required to incorporate the `PasswordHasher` into your application without depending on EF Core-based storage of user data or the UI package we explored in chapter 9. You will create a simple form that captures a username and password; the password will be hashed using the `PasswordHasher`, and the resulting hash will be stored in a hidden field in the same form. When the form is resubmitted, the user will have to enter the password again. This time it will be verified against the previously generated hash, and the result of that operation will be displayed to the browser.

This exercise has been created in a brand-new web application project with HTTPS enabled. I have named my application PasswordHasherDemo. The first thing that needs to be done is include the ASP.NET Core Identity package. If you recall from chapter 9, you installed the `Microsoft.AspNetCore.Identity.EntityFrameworkCore` package because you wanted to leverage EF Core-based data access for storing user data. This time, you don't need that capability, so you only install the basic Identity library, which is in a package called `Microsoft.AspNetCore.Identity`. Next, you need to create a `User` class based on `IdentityUser`, just as you did in chapter 9. Add a new folder named Models, and then add the class in the following listing to it.

Listing 13.7 The `User` class

```
using Microsoft.AspNetCore.Identity;
namespace PasswordHasherDemo.Models;

public class User : IdentityUser     ❶
{
}
```

❶ Your user class derives from IdentityUser.

Having done that, you need to register the `PasswordHasher` as a service, which you do in Program.cs. The `PasswordHasher` class depends on the `IPasswordHasher` interface and takes a generic type argument representing the user class. The following listing shows the first few lines of Program.cs modified to add the registration.

Listing 13.8 Adding the `PasswordHasher` as a service

```
using Microsoft.AspNetCore.Identity;                                    ❶
using PasswordHasherDemo.Models;                                        ❶
```