2.1.3 Running the application

Now that the application has been created using whichever means you chose, you can run and view it in a browser. To run the application from Visual Studio, you simply need to press Ctrl-F5 or click on the outlined green triangle (not the solid one) in the top menu bar. This will take care of building and starting the application as well as launching it in a browser. If you are using the CLI, execute the following command:

```
dotnet run --project WebApplication1\WebApplication1.csproj
```

This command includes the `--project` switch to specify the location of the project file. If you execute the command from within the folder containing the csproj file, the `--project` switch is omitted. If you prefer to use the CLI while working in Visual Studio, press Ctrl-` to open the integrated terminal, and execute your commands from within.

You should receive feedback in the terminal that the application is being built before confirming that it is listening on two localhost ports—one of which uses HTTP and the other of which uses HTTPS. The actual port numbers vary from project to project:

```
info: Microsoft.Hosting.Lifetime[0]
      Now listening on: https://localhost:7235
info: Microsoft.Hosting.Lifetime[0]
      Now listening on: http://localhost:5235
```

Open a browser, and navigate to the URL that uses HTTPS. In the download that accompanies this example, that is https://localhost:7235. If your browser warns you that the site is not secure, you may have overlooked the command required to trust the self-signed certificate: `dotnet dev-certs`