```
    {
        var success = false;
        while(!success && !cancellationToken.IsCancellationRequested)  ❷
        {                                                              ❷
            success = await TryUpdateRatesAsync();                     ❷
        }                                                              ❷

        await base.StartAsync(cancellationToken);                      ❸
    }

    protected override async Task ExecuteAsync(
        CancellationToken stoppingToken)
    {
        while (!stoppingToken.IsCancellationRequested)
        {
            await Task.Delay(TimeSpan.FromMinutes(5), stoppingToken);
            await TryUpdateRatesAsync();
        }
    }

    private async Task<bool> TryUpdateRatesAsync()
    {
        try
        {
            var client = _provider
                .GetRequiredService<ExchangeRatesClient>();
            string rates = await client.GetLatestRatesAsync();
            _cache.SetRates(rates);
            return true;
        }
        catch(Exception ex)
        {
            return false;
        }
    }
}
```

❶ The StartAsync method runs on start, before the app starts handling requests.

❷ Keeps trying to update the rates until it succeeds

❸ Once the update succeeds, starts the background process

WARNING The downside to listing 34.4 is that if there’s a problem retrieving the rates, the app won’t ever start up and start listening for requests. Whether you consider that a bug or a feature will depend on your deployment process! Many orchestrators, for example, will use rolling