- A health-check endpoint using `MapHealthChecks()`. You can read more about health checks at http://mng.bz/N2YD.
- All Razor Pages endpoints in the application using `MapRazorPages()`. You'll learn more about routing with Razor Pages in chapter 14.

Listing 6.1 Registering multiple endpoints with `WebApplication`

```
WebApplicationBuilder builder = WebApplication.CreateBuilder(args);

builder.Services.AddHealthChecks();            ❶
builder.Services.AddRazorPages();              ❶

WebApplication app = builder.Build();

app.MapGet("/test", () => "Hello world!");     ❷
app.MapHealthChecks("/healthz");               ❸
app.MapRazorPages();                           ❹

app.Run();
```

❶ Adds the services required by the health-check middleware and Razor Pages

❷ Registers a minimal API endpoint that returns "Hello World!" at the route /test

❸ Registers a health-check endpoint at the route /healthz

❹ Registers all the Razor Pages in your application as endpoints

Each endpoint is associated with a *route template* that defines which URLs the endpoint should match. You can see two route templates, `"/healthz"` and `"/test"`, in listing 6.1.

DEFINITION A *route template* is a URL pattern that is used to match against request URLs, which are strings of fixed values, such as `"/test"` in the previous listing. They can also contain placeholders for variables, as you'll see in section 6.3.