- `MultiValues`—Used to hold the selected values for a multiselect list. It's an `IEnumerable`, so it can hold more than one selection per `<select>` element.
- `Items`—Provides the list of options to display in the `<select>` elements. Note that the element type must be `SelectListItem`, which exposes the `Value` and `Text` properties, to work with the Select Tag Helper. This isn't part of the `InputModel`, as we don't want to model-bind these items to the request; they would normally be loaded directly from the application model or hardcoded. The order of the values in the `Items` property controls the order of items in the `<select>` list.

NOTE The Select Tag Helper works only with `SelectListItem` elements. That means you'll normally have to convert from an application-specific list set of items (for example, a `List<string>` or `List<MyClass>`) to the UI-centric `List<SelectListItem>`.

The Select Tag Helper exposes the `asp-for` and `asp-items` attributes that you can add to `<select>` elements. As for the Input Tag Helper, the `asp-for` attribute specifies the property in your `PageModel` to bind to. The `asp-items` attribute provides the `IEnumerable <SelectListItem>` to display the available `<option>` elements.

TIP It's common to want to display a list of `enum` options in a `<select>` list. This is so common that ASP.NET Core ships with a helper for generating a `SelectListItem` for any `enum`. If you have an `enum` of the `TEnum` type, you can generate the available options in your view using `asp-items="Html .GetEnumSelectList<TEnum>()"`.

The following listing shows how to display a drop-down list, a single-selection list box, and a multiselection list box. It uses the `PageModel` from the