- `None`—Don't display a summary. (I don't know why you'd use this.)
- `ModelOnly`—Display only errors that are not associated with a property.
- `All`—Display errors associated with either a property or the model.

The Validation Summary Tag Helper is particularly useful if you have errors associated with your page that aren't specific to a single property. These can be added to the model state by using a blank key, as shown in listing 18.8. In this example, the property validation passed, but we provide additional model-level validation to check that we aren't trying to convert a currency to itself.

Listing 18.8 Adding model-level validation errors to the `ModelState`

```
public class ConvertModel : PageModel
{
    [BindProperty]
    public InputModel Input { get; set; }

    [HttpPost]
    public IActionResult OnPost()
    {
        if(Input.CurrencyFrom == Input.CurrencyTo)     ❶
        {
            ModelState.AddModelError(                  ❷
                string.Empty,                          ❷
                "Cannot convert currency to itself");  ❷
        }
        if (!ModelState.IsValid)                       ❸
        {                                              ❸
            return Page();                             ❸
        }                                              ❸

        //store the valid values somewhere etc
        return RedirectToPage("Checkout");
    }
}
```

❶ Can't convert currency to itself

❷ Adds model-level error, not tied to a specific property, by using empty key

❸ If there are any property-level or model-level errors, displays them