MVC controllers in Program.cs, as shown in listing 19.1. If you compare this template with your Razor Pages projects, you'll see that the web API project uses `AddControllersWithViews()` instead of `AddRazorPages()`. The MVC controllers are mapped as endpoints by calling `MapControllerRoute()`. This method maps all the controllers in your app and configures a default conventional route for them. We discussed conventional routing in chapter 14, and I will discuss it again shortly.

Listing 19.1 Program.cs for the default MVC project

```
WebApplicationBuilder builder = WebApplication.CreateBuilder(args);

builder.Services.AddControllersWithViews();                ❶

WebApplication app = builder.Build();

if (!app.Environment.IsDevelopment())
{
    app.UseExceptionHandler("/Home/Error");                ❷
    app.UseHsts();
}

app.UseHttpsRedirection();
app.UseStaticFiles();
app.UseRouting();
app.UseAuthorization();

app.MapControllerRoute(                                    ❸
    name: "default",                                       ❸
    pattern: "{controller=Home}/{action=Index}/{id?}");    ❹

app.Run();
```

❶ AddControllersWithViews adds the services for MVC controllers with Razor Views.

❷ The exception handler path differs from the default Razor Pages path of /Error.

❸ Adds all MVC controllers in your application using conventional routing

❹ Defines the default conventional route pattern