❶ Combines to give “api/car/start”

❷ Combines to give “api/car/ignition”

❸ Does not combine because it starts with /; gives the “start-car” template

❹ Combines to give “api/car/speed/{speed}”

❺ Does not combine because it starts with /; gives the “set-speed/{speed}” template

Combining attributes in this way can reduce some of the duplication in your route templates and makes it easier to add or change the prefixes (such as switching `"car"` to `"vehicle"`) for multiple action methods. To ignore the `RouteAttribute` on the controller and create an absolute route template, start your action method route template with a slash (`/`). Using a controller `RouteAttribute` reduces a lot of the duplication, but you can go one better by using token replacement.

20.3.2 Using token replacement to reduce duplication in attribute routing

The ability to combine attribute routes is handy, but you’re still left with some duplication if you’re prefixing your routes with the name of the controller, or if your route templates always use the action name. If you wish, you can simplify even further!

Attribute routes support the automatic replacement of `[action]` and `[controller]` tokens in your attribute routes. These will be replaced with the name of the action and the controller (without the “Controller” suffix), respectively. The tokens are replaced after all attributes have been combined, which can be useful when you have controller inheritance hierarchies. This listing shows how you can create a `BaseController` class that applies a consistent route template prefix to *all* the web API controllers in your application.