relationships. Without a strong identity foundation, even the most advanced authorization model cannot provide dependable results.

1.7 Summary

- Poor access control can lead to severe security breaches, as seen in the Target breach, where attackers exploited weak authorization to access sensitive systems.
- Authorization is not just about security; it also enables key features in modern cloud applications, such as document sharing and multi-tenant access control.
- Traditional authorization methods like ACLs and RBAC are static and struggle with scalability, flexibility, maintainability, efficiency, auditability, and security.
- Dynamic authorization overcomes these challenges by using policies to make real-time, context-aware access decisions.
- Policy-based access control (PBAC) enables fine-grained authorization by externalizing access control logic, making it dynamic and adaptable to changing conditions.
- The shift toward zero-trust security models, SaaS applications, IoT, regulatory compliance, and AI-driven applications demands more flexible and scalable access control, making dynamic authorization essential.
- Policies can be represented as code or data, enabling both structured rule enforcement and flexible, real-time access adjustments.
- Treating policy as code allows version control, testing, and automation, while policy as data supports fine-grained, user-defined access controls.
- Organizations adopting dynamic authorization benefit from reduced operational costs, improved agility, enhanced security, and better customer experiences.
- Businesses can use dynamic authorization as a competitive advantage, enabling new product capabilities, faster compliance adaptation, and stronger security.
- Authorization is a strategic investment, not just a security measure—organizations that adopt policy-based access control gain efficiency,