The PEP sends this normalized request to the C³ PDP, which evaluates global governance policies, checking tenant isolation, data residency, and, for ACME employees, device compliance. If the global decision is `permit`, the request is forwarded to the appropriate tenant PDP to evaluate ReBAC sharing policies within that tenant.

13.4.1 Platform and tenant PDPs

To make this multi-tenant model work in practice, ACME adopted a two-tier authorization architecture.

- The C³ PDP enforces ACME's platform policies, which are global rules governing the cloud service itself. These include tenant isolation, data residency, device compliance for ACME employees, and overall governance controls.
- The tenant PDPs evaluate ReBAC policies within each tenant's namespace. They decide who within a tenant can view, edit, or share resources based on that tenant's relationship graph.

As we saw in Figure 13.1, each authorization request passes through these two layers sequentially. The C³ PDP evaluates first; if a request violates a global rule, it is denied before the tenant PDP reviews it. Only when the request complies with ACME's platform policies is it forwarded to the appropriate tenant PDP for ReBAC evaluation.

13.4.2 Deployment options for tenant PDPs

ACME offers two options for the tenant PDP layer, customized to meet the customer's needs.

SHARED PDP CLUSTER

Most tenants use a shared, multi-tenant PDP cluster operated by ACME. The cluster enforces a common set of ReBAC policies—the same collaboration rules introduced in Section 6.1—that determine ownership, editing, and viewing permissions. Each evaluation is scoped by `tenant_id`, ensuring isolation even though all tenants share the same policy engine and logic. The