policy is often difficult and error-prone, particularly as policies grow in number and complexity.

AI-assisted tools can help at this stage by drafting candidate policies, explaining existing logic, and surfacing edge cases that might otherwise be missed. Used correctly, they can improve clarity and reduce iteration time without changing how authorization decisions are evaluated or enforced.

This appendix assumes that authorization decisions remain deterministic and are always evaluated by a policy engine. AI assistance is limited to design-time activities such as authoring, review, and testing. For a deeper discussion of why this separation matters, see Chapter 17.

B.2 Recap: the ACME policy environment

This appendix builds directly on the ACME Cedar schema and policy examples introduced in Appendix A. Readers should already be familiar with the ACME domain model, including the core entity types, actions, and relationships used in the policies.

The companion repository reused here contains the same schema and policy files shown in Appendix A. No new entities, actions, or attributes are introduced in this appendix, and the underlying model is not modified.

For a full description of the ACME policy model, refer to appendix A. For a refresher on Cedar policy structure and semantics, see chapter 9. For details on policy evaluation and tooling, see chapter 10.

B.3 Getting set up: the companion repository and Cursor

As noted above, this appendix uses a companion GitHub repository, `acme-cedar-ai-authoring`, to demonstrate AI-assisted policy authoring in practice. The repository reuses the ACME Cedar schema and policy files from appendix A and adds a small amount of tooling and example material to support hands-on exploration.