```
const { Verifier } = require('@pact-foundation/pact');
const { importData, server } = require('./provider')

importData();

const port = '3001';
const app = server.listen(port, () => console.log(`Listening
on port ${port}...`));

const options = {
  provider: 'MoviesAPI',
  providerBaseUrl: `http://localhost:${port}`,
  pactBrokerUrl: process.env.PACT_BROKER_BASE_URL,
  pactBrokerToken: process.env.PACT_BROKER_TOKEN,
  providerVersion: '1.0.0',
  publishVerificationResult: true,
  consumerVersionTags: ['main'],
};

const verifier = new Verifier(options);

describe('Pact Verification', () => {
  test('should validate the expectations of movie-consumer', () => {
    return verifier
      .verifyProvider()
      .then(output => {
        console.log('Pact Verification Complete!');
        console.log('Result:', output);
        app.close();
      })
  });
});
```

RUNNING THE PROVIDER CONTRACT TEST

To run the provider contract test, let's add a new script in our package.json file called `test:provider`, which uses the `jest` command followed by the test file you want to execute:

```
"scripts": {
      "test:provider": "jest provider/provider-contract.spec.js
--testTimeout=20000"
  }
```

The `--testTimeout` flag is added to make sure that the movies API service is up and running before running the test. If the service isn't up for 20 seconds, then a test timeout error will be thrown.

Before running the test, make sure you've exported the environment variables for your Pact Broker URL and Pact Broker token, which you can get from PactFlow's setting page, as first discussed in chapter 4, section