Listing 9.5 Pact CLI publish contracts

```
docker run --rm \
--network=host \     #1
 -w ${PWD} \
 -v ${PWD}:${PWD} \
 -e PACT_BROKER_BASE_URL=http://localhost:92 \
  pactfoundation/pact-cli:latest \
  publish \
  ${PWD}/pacts \
  --consumer-app-version 0.0.0
```

#1 Network access to localhost

If the command is successful, then the URL of the published pacts will be output to the terminal, as shown in figure 9.16.

```
$ docker run --rm --network=host -w ${PWD} -v ${PWD}:${PWD} -e PACT_BROKER_BASE_URL=h
/pact-cli:latest publish ${PWD}/pacts --consumer-app-version 0.0.0

Publishing GraphQLConsumer/GraphQLProvider pact to pact broker at http://localhost:92
```

Figure 9.16 Contracts were published to a local Pact Broker with Pact CLI without any authentication.

Publishing the contracts is done; now it's time to share the contracts with the provider service team and sell them the dream of contract testing.

9.4.2 Kubernetes Pact Broker

If we're looking to add a more robust solution for the Pact Broker service, then the container can be deployed via Kubernetes. The self-healing element could be helpful in terms of maintenance and, therefore, save time, which could be spent on writing more contract tests. There are a couple of prerequisites required:

- Kubernetes
- Helm

After the dependencies have been installed, the Helm chart can be installed from ArtifactHUB (https://mng.bz/ZVMO). We're using an existing Helm chart to simplify the Kubernetes setup and configuration. First, we need to add the Helm chart repository with the `helm` command shown in listing 9.6.