You can test the webhook by clicking the Test button. You should see logs similar to figure 10.18 if everything has been configured correctly.




Figure 10.18 Logs for testing the Pact webhook showing that the webhook request has succeeded

CREATE THE PACT WEBHOOK VIA THE PACT-BROKER COMMAND

Alternatively, you can also use the `pact-broker` command to create a webhook via the command line and use the `create-webhook` option. The following command will create the same webhook example:

```
pact-broker create-webhook \
https://api.github.com
[CA] /repos/mdcruz/pact-js-example/dispatches \     #1
    --request=POST \
    --header 'Content-Type: application/json' \
'Accept: application/vnd.github.everest-preview+json' \
'Authorization: Bearer ${user.githubToken}' \     #2
      --data '{ "event_type": \ "contract_requiring_verification_published", \
"client_payload": { "pact_url": "${pactbroker.pactUrl}", \
"sha": "${pactbroker.providerVersionNumber}", \
"branch": "${pactbroker.providerVersionBranch}" } }'  \     #3
    --broker-base-url=$PACT_BROKER_BASE_URL \     #4
    --broker-token=$PACT_BROKER_TOKEN \     #5
    --consumer=WebConsumer \     #6
    --provider=MoviesAPI \     #7
    --description 'Webhook for MoviesAPI provider' \     #8
    --contract-requiring-verification-published     #9
```

#1 The URL containing the newly published contract
#2 The headers to be added as part of the POST request
#3 The request body to be added as part of the POST request
#4 The URL for the Pact Broker
#5 The token for the Pact Broker
#6 The consumer who will trigger the webhook
#7 The provider to be triggered by the webhook
#8 The webhook description
#9 The name of the event