configuration
  15-Factor methodology 38
  configuring applications on Kubernetes 487 – 491
   disabling Spring Cloud Config 491
   managing secrets with Spring Cloud Config 490 – 491
   refreshing configuration at runtime with Spring Cloud Bus 488 – 490
   securing configuration server with Spring Security 488
  management with Kustomize 501 – 516
   customizing ConfigMaps 511 – 512
   customizing environment variables 510 – 511
   customizing image name and version 512 – 513
   customizing number of replicas 514 – 516
   defining configuration overlay for staging 509 – 510
   managing Kubernetes configuration for multiple environments with 506 – 509
   using to manage and configure Spring Boot applications 502 – 506
  Polar Bookshop 65 – 66
  use of term 115
  using ConfigMaps and Secrets in Kubernetes 491 – 501
   configuring Spring Boot with ConfigMaps 492 – 497
   refreshing configuration at runtime with Spring Cloud Kubernetes 499 – 501
   storing sensitive information with Secrets 497 – 499
configuration as code 16
configuration groups 124
configuration server
  making resilient 137 – 138
  REST API 138 – 139
  setting up 133 – 137
   bootstrapping project 133 – 135
   configuring configuration server 136 – 137
   enabling configuration server 135 – 136
  using with Spring Cloud Config Client 140 – 146
   making configuration client resilient 142 – 143
   refreshing configuration at runtime 143 – 146
   setting up configuration client 140 – 142
configuration services 114, 129, 487
ConnectException type 311
connection factories 154
connection pooling 157
connection pool timeout 280
connection timeout 80 – 81, 280
constructor-based dependency injection 85
consumeOrderDispatchedMessageEvent() method 357
Consumer function 335, 339, 567
consumer groups 348
Consumer objects 356
Container as a Service (CaaS) model 9, 26
container images 53
  deployment pipeline 207 – 213
   building release candidates in commit stage 207 – 208
   publishing container images with GitHub Actions 208 – 213