defining configuration overlay for staging 509 – 510

P

pack() + label() composed function 342
pack() function 339, 341, 352
pack() method 338
pack| function 351
pack action 335
Package name parameter 45
packages 188, 597
Packaging parameter 45
packaging Spring Boot applications 188 – 201
  building container images for production 193 – 197
    Dockerfiles or Buildpacks 197
    performance 193 – 195
    security 195 – 196
  containerizing Spring Boot with Cloud Native Buildpacks 197 – 201
  containerizing Spring Boot with Dockerfiles 191 – 193
  preparing Spring Boot for containerization 189 – 191
    exposing application services through port forwarding 189
    using Docker's built-in DNS server for service discovery 189 – 191
pack function 335
packlabel-in-0 binding 349, 352
packlabel-out-0 binding 349 – 350, 353
Parnas, D. L. 12
Password Grant 426
patches 506
Path predicate 300 – 301
PAT (personal access token) 186, 543
payload 378
Peinl, R. 27
people gap 40
performance 193 – 195
performance property 151
permissions 106
persistent data. *See* data persistence
persistent entities
  Spring Data R2DBC 265 – 267
  with Spring Data 158 – 163
    creating database schema 162 – 163
    making domain class persistent 158 – 161
personal access token (PAT) 186, 543
phoenix servers 17
PID (process identifier) 450
pipe (|) operator 341
Platform as a Service (PaaS) 9
platforms 5
platform team 216
Pods
  controlling with Deployments 222 – 223