```
        d3.selectAll("g.node")
            .attr("transform", function (d) {
                return "translate("+d.x+","+d.y+")";
            })
    };

};
};
```

The animated nature of the force layout is lost on the page, but you can see in figure 6.8 general network structure that's less prominent in an adjacency matrix or arc diagram. It's readily apparent that four nodes (Mo, Tully, Kim, and Pat) are all connected to each other (forming what in network terms is called a *clique*), and three nodes (Roy, Pris, and Sam) are more peripheral. Over on the right, two nodes (Lee and Al) are connected only to each other. The only reason those nodes are still onscreen is because the layout's gravity pulls unconnected pieces toward the center.

The thickness of the lines corresponds to the strength of connection. But although we have edge strength, we've lost the direction of the edges in this layout. You can tell that the network is directed only because the links are drawn as semitransparent, so you can see when two links of different weights overlap each other. We need to use some method to show if these links are to or from a node. One way to do this is to turn our lines into arrows using SVG markers.

6.2.2 SVG markers

Sometimes you want to place a symbol, such as an arrowhead, on a line or path that you've drawn. In that case, you have to define a marker in your `svg:defs` and then associate that marker with the element on which you want it to draw. You can define your marker statically in HTML, or you can create it dynamically like any SVG element,




Figure 6.8 A force-directed layout based on our dataset and organized graphically using default settings in the force layout