```
        .style("text-anchor", "middle")
        .text(function(d) {return numberFormat(d.domain[0]);});

    gSelection.append("text")
        .attr("transform", function (d) {
            return "translate(" + (xScale(xMin)) +"," + (size[1] - 30) + ")";
        })
        .text(title);

    gSelection.append("text")
        .attr("transform", function (d) {
           return "translate(" + (xScale(xMax)) +"," + (size[1] + 20) + ")";
        })
        .text(units);
```

Anchors your unrotated labels at the midpoint and formats the value according to the set formatter

Adds a fixed, user-defined title above the legend rectangles and at the minimum value position

Adds a fixed, user-defined unit label on the same line as the labels but at the maximum value position

This requires that we set these new values using the code in the following listing before we call the legend.

Listing 10.18 Calling the legend with title and unit setting

```
var newLegend = d3.svg.legend()
   .scale(countryColor)
   .title("Country Size")
   .formatter(d3.format(".2f"))
   .unitLabel("Steradians");

d3.select("svg").append("g").attr("transform", "translate(50,400)")
      .attr("id", "legend")
      .call(newLegend);
```

Sets the legend title and unit labels and formats to reflect the data being visualized

This part is unchanged.

And now, as shown in figure 10.12, we have a label that's eminently more readable, still interactive, and useful in any situation where the data visualization uses a similar scale.




Figure 10.12 Our legend with title, unit labels, appropriate number formatting, and additional graphical elements to highlight the breakpoints