


Figure 1.10 Before GIFs were weaponized to share cute animal behavior, they were your only hope for animated data visualization on the web. Few examples from the 1990s like dpgraph.com exist, but this page has more than enough GIFs to remind us of their dangers.

you're using to code. With that in place, you can download the D3 library from d3js.org (d3.js or d3.min.js for the minified version) and place that in the directory where you'll make your web page. You'll create a page called d3ia.html in the text editor with the following contents.

Listing 1.1 A simple web page demonstrating the DOM

```
<!doctype html>
<html>
<head>
  <script src="d3.v3.min.js" type="text/JavaScript"></script>
</head>
<body>
  <div id="someDiv" style="width:200px;height:100px;border:black 1px solid;">
<input id="someCheckbox" type="checkbox" />
  </div>
</body>
</html>
```

A child element of <html>

A child element of <html>

A child element of <body>

A child element of

Basic HTML like this follows the DOM. It defines a set of nested elements, starting with an `<html>` element with all its child elements and their child elements and so on. In this example, the `<script>` and `<body>` elements are children of the `<html>` element, and the `<div>` element is a child of the `<body>` element. The `<script>` element loads the D3 library here, or it can have inline JavaScript code, whereas any content in the `<body>` element shows up onscreen when you navigate to this page.