```
"team","region","win","loss","draw","points","gf","ga","cs","yc","rc"
"Netherlands","UEFA",6,0,1,18,12,6,2,23,1
"Spain","UEFA",6,0,1,18,8,2,5,8,0
"Germany","UEFA",5,0,2,15,16,5,3,10,1
"Argentina","CONMEBOL",4,0,1,12,10,6,2,8,0
"Uruguay","CONMEBOL",3,2,2,11,11,8,3,13,2
"Brazil","CONMEBOL",3,1,1,10,9,4,2,9,2
"Ghana","CAF",2,2,1,8,5,4,1,12,0
"Japan","AFC",2,1,1,7,4,2,2,4,0
```

That's a lot of data for each team. We could try to come up with a graphical object that encodes all nine data points simultaneously (plus labels), but instead we'll use interactive and dynamic methods to provide access to the data.

3.1.2 Resources

Pregenerated content, like hand-drawn SVG and HTML components, comes as an external file that you'll need to know how to load. You'll see examples of these later on in the chapter. Each file contains enough code to draw the shape or traditional DOM elements we'll add to our page. We'll spend more time with the contents of this folder later on in sections 3.3.2 and 3.3.3 when we deal with loading pregenerated content.

3.1.3 Images

Later on, we'll use a set of Portable Network Graphics (PNGs) with the flags of each team represented in your dataset. We'll name the PNGs the same as the teams, so that it's easier to use the images with D3, as you'll see later. Every digital file consists of code, but we think of images as fundamentally different. This distinction breaks down when you work with SVG and you're accustomed to treating SVG as images. If you're working with SVG images as images and not as code that you want to manipulate in D3, then you should put them in your image directory and keep the SVG files that you intend to deal with as code in your resources directory.

3.1.4 Style sheets

Although we won't focus on CSS in this chapter too much, you should be aware that you can use CSS compilers to support variables in CSS and other improved functionality. Our style sheet shown in listing 3.1 has classes for the different states of the SVG elements we're dealing with, including SVG text elements that use a different syntax than traditional DOM elements for font.

Listing 3.1 d3ia.css

```
text {
font-size: 10px;
}

g > text.active {
font-size: 30px;
}
```