```
raw_transactions_df = sql("SELECT * FROM raw_transactions WHERE timestamp
(TransactionTimestamp) > timestamp('2024-03-22T17:40:59.246+00:00')")

training_set = fe.create_training_set(
    df=raw_transactions_df,
    feature_lookups=training_feature_lookups,
    label="Label",
    exclude_columns="_rescued_data"
)
training_df = training_set.load_df()
```

Figure 6.17 – Creating training set

Running the code in *Figure 6.17* gives us our Streaming Transactions training data. As you can see in *Figure 6.18*, the dataset contains all the feature table columns, the label, and the resulting feature column created by the *on-demand feature* function.

```
training_df.write.mode('overwrite').saveAsTable('training_data_snapshot')
display(training_df)
```

▸ (11) Spark Jobs

Table + New result table: ON Search

	Amount	Custo...	Product	TransactionTimesta...	transa...	isTime...	MaxPr...	MaxDif...	Label
1	69.99	1235	Product A	2024-03-22T17:41:15.3...	30	false	250.01	0.72	0
2	52.72	1235	Product A	2024-03-22T17:41:20.8...	30	false	250.01	0.79	1
3	21.25	1235	Product B	2024-03-22T17:41:22.7...	30	false	55.01	0.61	0
4	35.27	1235	Product B	2024-03-22T17:41:25.5...	30	false	55.01	0.36	1
5	174.98	1235	Product C	2024-03-22T17:41:29.9...	30	false	400.01	0.56	0

Figure 6.18 – Viewing the training data

You now have a training set spec using point-in-time lookups and an on-demand feature function. We save our snapshot to a table, but because we have the training spec saved to a notebook, we can also rest easy knowing we have followed data science best practices for reproducibility. We are ready for modeling in the next chapter.Project: Retrieval Augmented Generation Chatbot

Back in *Chapter 4*, we created a **Vector Search** (**VS**) endpoint and index to run similarity searches against our dataset of processed *Arxiv* article contents. Now, we are going to build a chatbot by combining the Vector Search components with a Large Language Model that can use the *Arxiv* data to generate answers to user questions.

To follow along in your own workspace, please refer to the following notebook:

- `CH6-01-Assembling ChatBot`