The UC Registry allows for the tagging of models and model versions. In the Streaming Transaction project, we use tags to track the validation status of a model. The approval process can be automated or may require human interaction. An approval process can ensure that models are high quality and meet business requirements.

Figure 7.1 is a screenshot of the UC Model Registry, note that there are built-in locations for tags, aliases, and comments.




Figure 7.1 – The UC Model Registry UI shows each model version

The UC Registry is tightly integrated with the DI Platform. This provides a single technical stack, a unified environment for moving a model through experimentation to deployment. The seamless integration lets you leverage other Databricks components like Databricks Notebooks, Databricks Jobs, Databricks Lakehouse Monitoring, and Databricks Model Serving.

Next, let's move on to product features that support the outer loop process.

Deploying the MLOps Outer Loop

The ML lifecycle looks different for different use cases. However, the set of tools available in the Databricks Platform makes it possible to automate as you like and supports your MLOps. The outer loop connects the inner loop products with the help of Workflows, Databricks Terraform Provider, REST API, Databricks Asset Bundles, and more. We covered automating the tracking process through MLflow Tracking and the Unity Catalog Registry. The UCR is tightly integrated with the Model Serving feature and has a robust API that can easily be integrated into the automation process using webhooks. Each of these features can play a role in automating the ML lifecycle.