existing `status` element (see listing 11.1), and then create a `context` inside the new element:

```
graph = document.createElement 'canvas'
graph.width = '800'
graph.height = '600'
graph.id = 'graph'
document.querySelector('#status').appendChild graph

context = canvas.getContext '2d'
```

The new element to hold the graph is appended to the status element.

Create a '2d' (two-dimensional) context on the element.

To draw a graph, you'll also use some other parts of the `canvas` API: `beginPath`, `lineTo`, and `stroke`. With those you can now draw a line. The basic mechanism is simple; you use coordinates to create a path on the canvas and then `stroke` or `fill` that path:

```
context.beginPath()
context.lineTo 0,0
context.lineTo 1,10
context.stroke()
```

Begin a new path.

This path starts at 0,0. That's the top left.

Make a line to 1,10.

Stroke the path, drawing the border.

With the graph data in an array, you convert it to a graph on a canvas with `beginPath`, `lineTo`, and `stroke`:

```
createGraph = (element) ->
  graph = document.createElement 'canvas'
  graph.width = '800'
  graph.height = '600'
  graph.id = 'graph'
  element.appendChild graph
  graph

getClearedContext = (element) ->
  element.width = element.width
  element.getContext()

drawLineGraph = (element, graphData, horizontalScale) ->
  context = element.
  context.beginPath()
  for y, x in graphData
    context.lineTo x*horizontalScale, y
  context.stroke()
```