This can be fixed by adding the curl directory to your `$PATH` variable. You can do that with the following steps:

1. Right-click your computer and choose Properties to enter the System Properties dialog. (If you don't see a window with tabs, click Advanced System Settings.)
2. Choose the Advanced tab.
3. Choose the Environment Variables button.
4. In the User Variables window, select the `PATH` variable and click the Edit button. If there's no such variable, add it using the New… button.
5. Add the value `"C:\Program Files\cURL\bin"` (including the quotes) to the path. If there is already a value in this box, you can add a new one by adding a semicolon followed by the path.

After doing this, curl should work from the command line (although you may have to reopen your command prompt for the changes to take effect).

INSTALLING CURL ON MAC OS X

Curl comes preinstalled on OS X, so you shouldn't need to install it. If curl isn't available on your system, you can download and install it from the curl download wizard.

INSTALLING CURL ON LINUX

Curl may be preinstalled on some Linux systems; you can check by typing `curl --version`. If curl is not installed, you can install it by typing `sudo apt-get install curl`.

B.3 Resources

This appendix introduces a lot of tools. If you'd like to learn more about any of these tools, here are pointers to their websites:

- Node.js/NPM, http://nodejs.org
- Express, http://expressjs.com
- Wireshark, http://wireshark.org
- Fiddler, www.telerik.com/fiddler
- Curl, http://curl.haxx.se/

In addition, here are a couple books that dive into more details about Node.js and Express:

- *Node.js in Action* (Cantelon et al., Manning, 2013)
- *Express.js in Action* by Evan Hahn, to be published by Manning (http://manning.com/hahn/).