```
  xhr.send();                          <-- Makes HTTP request
};
   </script>
</body></html>
```

When making changes to the app.js server code, you'll need to reload the client.html page. This means clicking the browser's Reload button, or pressing Ctrl-R (Cmd-R on Macs) in the browser. Reloading the page ensures that the client page picks up the latest changes made on the server.

3.1.3 Running the sample app

Now that the server and client code are ready, let's fire up the sample app. Start the server by typing `node app.js` in the terminal window (or restart it if it's already running). Because the server also serves the client.html page, the server must be running for the client.html page to load. (If you encounter "file not found" errors on client.html, be sure to first check that the server is running.) Next, switch over to your web browser and visit the page at http://127.0.0.1:9999/client.html. You should see the blog posts as shown in figure 3.6.

The client.html page displays the sample posts defined in app.js. To do this, the client.html page sends an HTTP request to /api/posts. You can view this HTTP request and response (or any errors) by using the browser's JavaScript console. I'll be using Chrome for the screenshots throughout this book. You can open Chrome's JavaScript Console by pressing the keyboard shortcut Ctrl-Shift-J on Windows (Cmd-Option-J on Mac). You can also find it by navigating to the Tools > JavaScript Console menu option on Windows (or the View > Developer > JavaScript Console menu option on Mac). If you aren't using Chrome, don't worry. Most browsers have a built-in JavaScript Console that will give you the same information. Chapter 7 demonstrates how to open the JavaScript console in most major browsers.

You can view the details of the HTTP request by opening the JavaScript console, clicking the Network tab, and refreshing the client.html page. You should see two HTTP requests in the Network tab: one for client.html, the other for /api/posts. If you




Figure 3.6 Client page with a successful request