Table C.3 Built-in Django template filters *(continued)*

Filter	Description
`{{ value|pluraize }}` or `{{ value|pluraize:"es" }}`	This returns `s` if `value` is 2 or greater. Given an argument, it returns the argument instead of `s`. The second example returns `"es"` if `value` is greater than 1.
`{{ value|pprint }}`	This is a wrapper around Python's `pprint.pprint()` function, which is useful when debugging.
`{{ value|random }}`	This returns a random item from a list.
`{{ value|rjust:"15" }}`	This adds whitespace to right justify the contents for the given width. Note: this is only visible in HTML inside certain tags, as HTML normally ignores whitespace.
`{{ value|safe }}`	This marks a string as not requiring HTML escaping. It has no effect if auto-escaping is turned off.
`{{ value|safeseq }}`	This applies the `| safe` filter to each item in a list.
`{{ value|slice:":2" }}`	This performs Python list slicing.
`{{ value|slugify }}`	This converts `value` into a newspaper slug. It removes any character that isn't an alphanumeric, underscore, or hyphen; converts it to lowercase; and removes any leading or trailing whitespace.
`{{ value|stringformat:"E" }}`	This performs printf-style string formatting on `value`. Note the argument does not use the percent symbol. For example, the argument `"03d"` is the equivalent of the format string `%03d`.
`{{ value|striptags }}`	This attempts to strip XML or HTML tags from a string. Note that there are tricky things users can do to get around this; do not assume the result of this filter can be marked as safe. If you absolutely must allow user input HTML, use a third-party HTML sanitizer library.
`{{ value|time:"H:i" }}`	This converts a time object to a string, using the argument as a string formatter. See the `|date` filter.
`{{ value|timesince:comparison }}`	This returns the amount of time that has expired between `value` and `comparison`, in human-readable format (`5 days, 3 hours`).
`{{ value|timeuntil:comparison }}`	This returns the amount of time remaining between `value` and `comparison`, in human-readable format.
`{{ value|title }}`	This converts a string to title case.
`{{ value|truncatechars:7 }}`	This truncates a string to the given number of characters. Truncated strings end with an ellipsis (…).
`{{ value|truncatechars_html:7 }}`	This is an HTML-aware version of `|truncatechars`.
`{{ value|truncatewords:7 }}`	This is like `|truncatechars` but counts the number of words instead of the number of characters.
`{{ value|truncatewords_html:7 }}`	This is an HTML-aware version of `|truncatewords`.