Like with your musician views, here, you need a view to display a single `Band` object and one for listing all `Band` objects. The following listing shows these two views, taking advantage of the shared functions built in exercise 1.

Listing E.13 Listing and detail views for your bands

```
# RiffMates/bands/views.py
...
def band(request, band_id):
    data = {
        "band": get_object_or_404(Band, id=band_id),
    }

    return render(request, "band.html", data)


def bands(request):
    all_bands = Band.objects.all().order_by("name")
    items_per_page = _get_items_per_page(request)
    paginator = Paginator(all_bands, items_per_page)

    page_num = _get_page_num(request, paginator)

    page = paginator.page(page_num)

    data = {
        "bands": page.object_list,
        "page": page,
    }

    return render(request, "bands.html", data)
```

The band detail view takes the ID of a Band object as an argument.

The get_object_or_404() shortcut fetches the Band with the given ID or raises an Http404 error.

The Band Listing page queries all the Band objects.

Call the shared function to get the number of items per page.

Create a Paginator to paginate the list of bands.

Call the shared function to get the page number.

Create a page object to be used during rendering that encapsulates the subset of bands to display on this page.

The following listing contains the template for the Band Details page.

Listing E.14 Template for the band details page

```
<!-- RiffMates/templates/band.html -->
{% extends "base.html" %}

{% block title %}
  {{block.super}}: Band Details
{% endblock %}

{% block content %}
  <h1>{{band.name}}</h1>

  <h2>Band Members</h2>
  <ul>
    {% for musician in band.musicians.all %}
      <li> <a href="{% url 'musician' musician.id %}">
        {{musician.last_name}}, {{musician.first_name}}
      </a> </li>
    {% empty %}
```