```
        "type": "text"
      },
      "actors": {
        "type": "text"
      },
      "director": {
        "type": "text"
      },
      "rating": {
        "type": "half_float"
      },
      "release_date": {
        "type": "date",
        "format": "dd-MM-yyyy"
      },
      "certificate": {
        "type": "keyword"
      },
      "genre": {
        "type": "text"
      }
    }
  }
}
```

Table 8.1 shows a few notable elements from this mapping. The rest of the attributes are self-explanatory.

Table 8.1 Some `movies` fields and their respective data types

Field	Declared data types
`title`	`text` and `keyword`
`release_date`	`date` with the format `dd-MM-yyyy`
`certificate`	`keyword`

With the mapping in place for the `movies` domain, the next task is to index the sample data using the `_bulk` API. The next listing shows this API in action with a sample of data.

Listing 8.2 Listing 8.2 Indexing sample movie data using the `_bulk` API

```
PUT _bulk
{"index":{"_index":"movies","_id":"1"}}
{"title":"The Shawshank Redemption","genre":"Drama",..}
{"index":{"_index":"movies","_id":"2"}}
{"title":"The Godfather","genre":"Crime, Drama","..."}
{"index":{"_index":"movies","_id":"3"}}
```

The _bulk API

Document with an ID of 1 for indexing

The document itself

Document with an ID of 2 for indexing