```
  "aggs": {
    "release_year_histogram": {
      "date_histogram": {
        "field": "release_date",
        "calendar_interval": "year"
      }
    }
  }
}
```

Declares the histogram type (date_histogram)

Applies the aggregation to this field

Defines the bucket interval

The `date_histogram` aggregation requires the field on which the aggregation should run and the bucket interval. In the example, we use `release_date` as the date field with a `year` interval.

> **NOTE** We can set the bucket's interval value to `year`, `quarter`, `month`, `week`, `day`, `hour`, `minute`, `second`, or `millisecond`, based on our requirements.

Running the query in listing 13.11 produces the individual buckets for each year and the number of documents in that bucket. The following snippet shows the results at a glance:

```
...
{
  "key_as_string" : "2020-01-01T00:00:00.000Z",
  "key" : 1577836800000,
  "doc_count" : 5
},
{
  "key_as_string" : "2021-01-01T00:00:00.000Z",
  "key" : 1609459200000,
  "doc_count" : 6
 },
{
  "key_as_string" : "2022-01-01T00:00:00.000Z",
   "key" : 1640995200000,
   "doc_count" : 3
 }
...
```

Each key (expressed as `key_as_string`) represents a year: 2020, 2021, and 2022. As the results show, five books were released in 2020, six in 2021, and three in 2022.

INTERVAL SETUP FOR THE DATE HISTOGRAM

In listing 13.11, we set the interval to `year` in the `calendar_interval` attribute. In addition to `calendar_interval`, there's another type of interval: `fixed_interval`. We can set it as a calendar interval or a fixed interval.

The *calendar interval* (declared as `calendar_interval`) is calendar-aware, meaning the hours and days in a month are adjusted according to the daylight settings of the calendar. The following units are acceptable values: `year`, `quarter`, `month`, `week`, `day`, `hour`, `minute`, `second`, and `millisecond`. They can also be represented as single units like `1y`, `1q`, `1M`, `1w`, `1d`, `1h`, and `1m`, respectively. For example, we can write the query in listing 13.11 as `"calendar_interval": "1y"` instead of using `"year"`.