```
    }
  },
  "sort": [
    {"rating":{"order":"desc"}}
  ]
}
```

When we run this query, the results (omitted for brevity) are sorted with the highest-rated movie at the top of the list. If we look carefully at the results, we see that the score is set to `null`—when we use a field for sorting, Elasticsearch does not compute the score. However, we can ask Elasticsearch to compute the score even if we don't sort on `_score`. To do that, we can use the `track_scores` Boolean field. The following listing shows how to set `track_scores` so the engine calculates the scores.

Listing 8.26 Enabling scoring when sorting on fields

```
GET movies/_search
{
  "track_scores":true,
  "size": 10,
  "query": {
    "match": {
      "genre": "crime"
    }
  },
  "sort": [
    {"rating":{"order":"asc"}}
  ]
}
```

The highlighted `track_scores` attribute in the listing tells the engine to calculate the relevancy scores of documents. However, the documents are not sorted on the `_score` attribute, because a custom field is used for sorting.

We can also enable sorting on multiple fields. The next query enables sorting on the `rating` and `release_date` fields.

Listing 8.27 Sorting by multiple fields in ascending order

```
GET movies/_search
{
  "size": 10,
  "query": {
    "match": {
      "genre": "crime"
    }
  },
  "sort": [
    {"rating":{"order":"asc"}},
    {"release_date":{"order":"asc"}}
  ]
}
```