metric aggregations *(continued)*
maximum metric 442
minimum metric 441–442
other metrics 55–56
sample data 438
stats metric 442–443
sum metric 54–55, 441
value_count metric 438–440
min aggregation 53, 436
Min bucket (min_bucket) 462
min function 435
min keyword 442
min metric 441
min mode 395
min_age attribute 233
min_bucket aggregation 465
min_gram attribute 273
minimum metric 441–442
minimum_count setting 487
minimum_should_match attribute 344, 377
minimum_should_match setting 377–378
minumum_should_match parameter 378
ml role 524
model attribute 201
model type 195
more_like_this queries 427–428
most_fields multi-match query 349
Moving function (moving_function) 461
Moving percentiles (moving_percentiles) 461
multi_match queries 41, 146, 295, 347, 388
best fields 348–349
boosting individual fields 351–352
dis_max query 350
tiebreakers 350–351
multi-document APIs 150
multi-field search 41
multi-match queries 146, 349
multi-node cluster 469
multi-terms aggregation 454–455
multi-typed field 104
Multiline string shape 404
multiply mode 395
Multipoint shape 404
Multipolygon shape 404
must clause 49–50
enhancing 368–369
overview 367–368
must query 380, 382, 385
must_not clause 50–51
enhancing 371–373
overview 370–371
must_not queries 373
my_fields1.kw label 147
myshape attribute 412
myshape property 412
myshapes index 412–413
mysql-* index pattern 231

N

n-grams 145
NAME attribute 436
name attribute 143
name property 401, 412
name:value pairs 291
namespace clients 533
negative query 386
negative_boost attribute 387
negative_boost setting 387
nested aggregations 436–437
nested data type 115–116, 131, 137–139
network attribute 474
network.* attributes 488
network.host attribute 475
network.host property 475
networks index 130, 452
news bucket 63
ngram tokenizer 272–273
node.roles property 471
node.roles setting 86
nodes 81–86
adding to clusters 469–470
cluster masters
dedicated master nodes 494–495
master nodes 491
multi-node multiclusters 83–84
node communication 474–475
roles
configuring 85–86
overview 84–85
single-node clusters 81–82
non-text fields 46
noop (no-operation) tokenizer 252
noop special analyzer 104
normalization 65, 239
Normalize (normalize) 461
normalized data 7
normalizer property 104
NOT operator 353
now keyword 325
nteger, long, short, byte type 116
NUM type 241
number_of_replicas property 200, 223
number_of_replicas setting 195, 473
number_of_shards variable 97
numeric data types 127

O

object data type 112, 115–116, 131
limitations of 136–137
overview 134–137
Okapi BM25 algorithm 92–94
OLAP (Online analytical processing) data 14