Table 11.2 Boolean clauses *(continued)*

Clause	Description
`should`	An `OR` query where one of the documents must match the query criteria Example: Search for fridges that are frost-free *or* energy rated above C grade.
`filter`	A `filter` query where the documents must match the query criteria (similar to the `must` clause), but the `filter` clause does not score the matches Example: Fetch TVs (`product` = `TV`) that fall within a specific price range (but the score of the documents returned will be zero)

A compound query consisting of these clauses can contain multiple leaf queries or even additional compound queries. We can create advanced, complicated search queries by combining the leaf and compound queries. Let's discuss the `bool` query syntax and structure.

11.3.1 The bool query structure

As mentioned earlier, a `bool` query is a combination of Boolean clauses producing unified output. Figure 11.2 illustrates the basic structure of a `bool` query with empty clauses.




Figure 11.2 Syntax of a sample Boolean (`bool`) query with four conditional clauses

As you can see, a `bool` query is configured with a set of conditions captured in the clauses. A `bool` query can accept at least one of the queries embedded in a clause. Each clause can then host one or more leaf or compound queries as an array of queries. As the following code snippet shows, we can provide multiple term-level and full-text queries (shown in bold) inside any clause (in italics):

```
GET books/_search
{
  "query": {
    "bool": {
```