# index

## Symbols


_alias API 206, 210
_alias endpoint 204
_aliases API 206–207
_all endpoint 209
_analyze API 242, 245, 266, 268, 270–271, 273–274, 278
_analyze endpoint 241, 248, 263
_analyze test 241
_bulk API 284, 338, 363, 459, 503
  bulk indexing documents 186–188
  bulk requests using cURL 189–190
  format of 185–186
  independent entities and multiple actions 188–189
  indexing documents using 39–41
_cat API 77, 519–520
_cluster endpoint 232
_cluster/settings endpoint 232
_component_template endpoint 215
_count API 31
_count endpoint 31
_create API 156–158
_create endpoint 157, 178
_delete_by_query operation 182
_doc API 178
_doc document type 70
_doc endpoint 29, 154, 166, 182, 537
_execute endpoint 487
_explain API 304
_explain endpoint 303
_id attribute 154, 165
_id pairs 164
_ilm endpoint 229
_index attribute 154
_index document 164
_index_template endpoint 213
_ingest API 525
_ingest/pipeline/URL 525
_mapping endpoint 110, 112–113, 117
_mget API 165
_mget endpoint 164
_mget multi-document API 163
_name property 383
_open API 211–212
_refresh endpoint 505
_reindex API 190
_restore endpoint 483
_rollover API 224–226
_rollover call 226
_rollover command 226
_rollover endpoint 225
_score attribute 41, 291, 306
_search API 32, 36, 304
_search endpoint 33–35, 53, 285–286, 291–292, 295, 301, 303, 341, 364, 435
_settings API 198, 221
_settings endpoint 160, 200
_shards attribute 291
_simulate API call 525
_slm API 484
_snapshot APIs 479–482
_source attribute 162, 166
_source endpoint 166, 168
_source flag 167, 307, 309
_source object 310, 526
_source option 309–310
_source parameter 437
_source tag 32
_source_excludes parameter 169, 437
_source_includes parameter 168–169, 437