buckets 56, 445
Buckets script (buckets_script) 461
buckets_path setting 460
buckets_path variable 459, 461
bulk document operations 185–190
  bulk indexing documents 186–188
  bulk requests using cURL 189–190
  format of _bulk API 185–186
  independent entities and multiple actions 188–189
    create action 188
    delete action 189
    update action 189
  index speed problems 503
bulk operation 39
bus_stops index 401
business analytics 13
byte data type 117

C

calendar interval 448
calendar_interval attribute 448
CANCELLED state 317
cardinality metric 444–445
CarItems type 70
cd (command) 517, 521
census index 123
Change point (change_point) 461
char_filter object 258
char_filter section 261
character filters 265–270
  hmtl_strip filter 266–267
  mapping character filter 267–268
  mappings via file 268–269
  pattern_replace character filter 269–270
chats index 469–471
child-level aggregations 450–451
circuit breakers 511–512
clients 523, 530, 539
  creating indexes 534–537
  indexing documents 537–538
  initialization 532–533
  Java client 530–531
  Maven/Gradle project setup 531–532
  namespace clients 533
  searching 538–539
cluster_name property 518–519
cluster.election.duration property 492
cluster.election.initial_timeout property 492
cluster.follower_lag.timeout attribute 493
cluster.indices.close.enable property 211
cluster.name property 81–82
cluster.publish.timeout attribute 492
clusters
  cluster health 470–473, 506–507
  cluster masters 491–495
    cluster state 492–493
    dedicated master nodes 494–495
    master elections 491–492
    master nodes 491
    quorum 493
    split-brain problem 493–494
  multi-node multiclusters 83–84
  scaling 468–474
    adding nodes to clusters 469–470
    cluster health 470–473
    increasing read throughput 473–474
  single-node clusters 81–82
  unstable 506–511
    cluster health 506–507
    disk-usage thresholds 509–511
    unassigned shards 507–509
co.elastic.clients.elasticsearch.ElasticsearchClient class 532
co.elastic.clients.elasticsearch.indices package 533–534
co.elastic.clients.transport.ElasticsearchTransport object 532
command (cd) 517, 521
command-line URL invocation utility. *See* cURL
completion data type 116, 120, 131, 146–147
component templates 212
composable index templates 212
compound queries 47–52, 296–297, 361–396
  bool query 48–49, 365–384
    combining all clauses 381–382
    must clause 367–369
    must_not clause 370–373
    named 382–384
    should clause 373–378
    structure of 366–367
  boosting query 386–388
  constant scores 384–386
  dis_max query 388–389
  filter clause 51–52
  function_score query 389–395
    combining function scores 394–395
    field_value_factor function 393–394
    random_score function 391–392
    script_score function 392–393
  must clause 49–50
  must_not clause 50–51
  overview 364–365
  sample data 362–363
    indexing products 363
    schema 362–363
  should clause 51
concepts and foundations 347
concepts tag 347
CONFIDENTIAL stamp 526
confidential_files_pipeline 525