Constant score (constant_score) query 365
constant scores 384–386
constant_keyword data type 123–124
constant_score function 385–386
constant_score query 288, 362, 385–386
contains relationship 412
convention over configuration paradigm 488
Coordination node role 84
coordinator node 283
coordinator role 86, 283
copy_to attribute 499–500
copy_to construct 501
copy_to functionality 501
core data types 118
counting documents 31
covid index 53
create action 188
create index API 110
create operation 188
create() method 157, 535–536
CREATED state 317
created_at property 213–214
created_by property 213–214, 216
CreateIndexRequest 535
CreateIndexResponse object 535
cross_fields multi-match query 349
CRUD (create, read, update, and delete) operations 151
ctx variable 173
Cumulative cardinality (cumulative_cardinality) 461
Cumulative sum (cumulative_sum) 461
cumulative_sum aggregation 462
cumulative_sum parent aggregation 462–464
cURL (command-line URL invocation utility) 518
  bulk requests using 189–190
  overview 24–26
  Query DSL for 295–296

D

-d parameter 296
Data node role 84
data role 85, 524
data streams 72
  searching across 310–312
  time-series data 73–74
data types 115–117
  advanced 131–146
    flattened data type 140–142
    geo_point data type 131–133
    join data type 142–144
    nested data type 138–139
    object data type 134–137
    search_as_you_type data type 144–146
  boolean data type 127–128
  date data type 124–126
  fields with multiple 146–147
  IP address (ip) data type 130–131
  keyword 122–124
    constant_keyword type 123–124
    fixing sorting using 108–109
    keyword type 122–123
    wildcard data type 124
  mechanism for deducing 105–107
  numeric 127
  range
    date_range type example 128–130
    overview 128–130
  text data type 118–122
    analyzing text fields 118–120
    token_count data type 120–122
  type coercion 114–115
data_cold role 85
data_frozen role 85
data_hot role 85
data_warm role 85
databases
  relational database analogy 68–69
  search engines vs. 6–7
  search supported by 5–6
date data type 46, 124–126, 194, 421
date formats, deriving incorrect 109
date histogram
  interval setup for 448–450
  overview 447–448
date type 103–106, 109, 112
date_histogram aggregation 447–448, 463
date_histogram bucket 456
date_range data type 128
date_range range type 115
date_range type 128–130
DEBUG level 489–490
default_field parameter 355
default_operator attribute 293
default_operator parameter 293, 355
DELETE _all all endpoint 209
DELETE action 209
delete action 189
DELETE APIs 210
DELETE method 29
delete operation 40
deleting documents 181–185
  deleting all documents 184–185
  deleting by query 182
  deleting with IDs 181–182
  deleting with range query 183–184
details section 303
director property 319
dis_max multi-match query 350
dis_max query 350, 388–389
disaster recovery (DR) 97