```
        ['title' => 'The Pragmatic Programmer', 'author' => 'Andy Hunt', 'year' => 1999],
        ['title' => 'Design Patterns', 'author' => 'Erich Gamma', 'year' => 1994],
    ]);
}
```

Modify the `database/seeders/DatabaseSeeder.php` file to call the `BookSeeder`:

```
class DatabaseSeeder extends Seeder
{
    public function run(): void
    {
        $this->call(BookSeeder::class);
    }
}
```

Save the file. This seeder will insert sample data into the `books` table.

Run the seeder to populate the `books` table:

```
php artisan db:seed
```

This will populate the `books` table with sample data. You can verify that the table has been populated by checking the database file or using a database management tool.

11.9.4.5 Step 5: Create a Repository Interface

We will create an interface for the repository. This interface will define the methods that our repository will implement.

Create a directory `app/Repositories` and then create a file for the interface, `BookRepositoryInterface.php`.

Codes for `app/Repositories/BookRepositoryInterface.php`:

```
<?php
namespace App\Repositories;

interface BookRepositoryInterface
{
    public function getAllBooks();
}
```

Save the file. This interface defines a method `getAllBooks()` that will be implemented in the repository class.

11.9.4.6 Step 6: Create a Repository Class Using Query Builder