Table 11-13. *XPath node test functions*

`node()`	Select all nodes
`text()`	Select all text nodes (remember the `XML_TEXT_NODE` test earlier!)
`comment()`	Select all comment nodes
`processing-instruction()`	Select processing instructions, e.g., `<?xml-stylesheet ...>`

You won't normally need to worry about `processing-instruction()` because they're not supported in HTML documents. Now let's put it together. We'll use some simple XML with the `Dom\XMLDocument` class, but know that the lessons taught here will transfer to HTML and `Dom\HTMLDocument` (after all, HTML is, roughly speaking, just a specialized form of XML):

```
$xml = <<<EOS
<?xml version="1.0" encoding="UTF-8"?>
<!-- A document comment -->
<data>
  <!-- An element comment -->
  <documents>
    <git>
      <project name="javascript">Lovely JS</project>
      <project name="php">Lovely PHP</project>
      <project name="VB6" status="abandoned">Nasty VB6</project>
      <project>EMPTY</project>
    </git>
  </documents>
</data>
EOS;

$dom = Dom\XMLDocument::createFromString($xml);
$xpath = new Dom\XPath($dom);

$results = $xpath->query('/child::data');
print "Found {$results->length} data node(s)" . PHP_EOL;
var_dump($results[0]->tagName);
```