Arrays (*cont.*)
changing element values, 215
prepending elements, 216
reindexing elements, 219, 220
removing elements, 218, 219
splitting, 220, 221
multidimensional, 212–215
normalizing keys, 250, 251
operands, 237
properties, 207
searching
callback, 261, 262
finding key value, 260
minimum and maximum values, 260
test key exists, 258, 259
test value exists, 258
sorting
callback, 269, 270
by key, 264, 265
natural, 271, 272
preserving keys, 265
randomizing, 272, 273
by size, 267, 268
modifying sort() behavior, 266, 267
by value, 263, 264
splat operator, 238, 239
splicing, 240–242
syntax, 208
very large, 283, 284
array_splice(), 217, 220, 241
array_uintersect(), 254, 269
Array unpacking, 127
array_values(), 220
Arrow functions, 150, 151
ASCII, *see* American Standard Code for Information Interchange (ASCII)
ASCII63, 422, 423
Assertions, 561–563
Association, 646, 647
Associative arrays, 211, 212, 242, 243
Associativity, 181, 182
Attributes, 643, 746
defined, 364
example, 364
making, 366–369
predefined, 365
syntax, 364
Autoloading, 44, 345–349

B

Back-references, 572, 573
Backtracking, 574
Base types, 110, 111
BCMath functions, 401–403
Big-endian *vs.* little-endian, 72
Binary framing layer, 682
Binary safety, 440, 441
Binary strings, 420, 421
Bitwise operators, 186, 187, 379–383
Block-level elements, 751, 752
Blocks, 834
Booch's methodology, 640, 643
Boundary string, 708–710
Bracktracing, 201
Brute-force attack, 540
Brute-force technique, 658
Buffers, 434
Bug reports, 100
Byte values, 71, 72, 78

C

Caeser cipher algorithm, 519
Callback function, 146, 251–257, 261, 262, 269, 270