Customizing Authentication and Registration logic

To achieve custom authentication logic for the Laravel application, it is critical to incorporate HTTP authentication.

HTTP Authentication

HTTP Authentication allows you to quickly authenticate users of your application without having to build up a separate “login” page. Attach the **`auth.basic`** middleware to a route to get started. You do not need to define the **`auth.basic`** middleware because it is available with the Laravel framework.

```
Route::get('/profile', function () {
  // Only authenticated users may access this route
})->middleware('auth.basic');
```

When you access the route in your browser once the middleware has been attached, you will be requested for credentials. The **`auth.basic`** middleware will presume that the **`email`** field in your **`users`** database table is the user’s “username” by default.

HTTP Basic authentication may fail if you use PHP FastCGI and Apache to serve your Laravel application. To resolve these issues, add the following lines to your application’s **`.htaccess`** file:

```
RewriteCond %{HTTP:Authorization} ^(.+)$
RewriteRule .* - [E=HTTP_AUTHORIZATION:%{HTTP:Authorization}]
```

Stateless HTTP Authentication

You may also use HTTP Basic Authentication without setting a session identification cookie. This is especially useful if you use HTTP Authentication to authenticate calls to your application’s API. To do so, create a middleware that calls the **`onceBasic`** function. If the **`onceBasic`** function returns no answer, the request may be sent further through the application:

```
<?php
namespace App\Http\Middleware;
use Closure;
use Illuminate\Http\Request;
```